

CONTENT LIST:

DRAWER 1



Screwdrivers:

- Chrome Vanadium (CrV) steel shank
- Magnetic tip
- Soft rubber grip handle with hanging hole

SL 8 x 150mm (Slotted)	PH 3 x 150mm (Phillips)	PZ 2 x 100mm
SL 6 x 100mm (Slotted)	PH 2 x 100mm (Phillips)	¼" M Drive & ¼" F Drive x 60mm
SL 5 x 75mm (Slotted)	PH 1 x 75mm (Phillips)	¼" Hex Drive x 150mm
SL 6 x 38mm (Slotted)	PH 2 x 38mm (Phillips)	
Drive Handle x 100mm		

Tape Measure:

- Length: 3m x 19mm
- Auto lock
- Rubber casing matt finish
- Lanyard loop
- Belt hook

Mechanical Vernier:

- Range: 150mm
- Resolution: 0.05mm
- Stainless steel vernier

Torch:

- 75 Lumens
- 3 x AAA batteries (Excluded)

Telescopic Magnet pickup:

- Rubber casing
- 1.5kg pickup
- Pocket clip
- Closed length – 160mm
- Open length – 620mm

DRAWER 2



Spark Plug Sockets:

- CrV (Chrome Vanadium) steel
- Matt chrome Plated
- 1/2" Drive
- 6 Point

16mm	21mm
------	------

Deep Wall Tube Sockets:

- CrV (Chrome Vanadium) steel
- Matt chrome Plated
- 1/2" Drive
- 12 point

17mm x 78mm	19mm x 78mm
-------------	-------------

Reversible Ratchet

- CrV (Chrome Vanadium) steel
- Matt chrome plated
- Steel handle
- Reversible rocker switch
- Socket release button

1/4" x 150mm	1/2" x 245mm
--------------	--------------

Extension Bar

- CrV (Chrome Vanadium) steel
- Matt chrome plated

1/4", 76mm	1/2", 125mm
------------	-------------

Sliding T-Bar

- CrV (Chrome Vanadium) steel
- Matt chrome Plated

1/4" x 110mm	1/2" Sliding Adapter, 1/2" drive x 250mm
--------------	--

Universal Joint

- CrV (Chrome Vanadium) steel
- Matt chrome Plated

1/4" x 38mm	1/2" x 76mm
-------------	-------------

Sockets

- CrV (Chrome Vanadium) steel
- Matt chrome Plated

½" 12 Point	¼", 12 Point
10mm	4mm
11mm	5mm
12mm	6mm
13mm	7mm
14mm	8mm
15mm	9mm
16mm	10mm
17mm	11mm
18mm	12mm
19mm	13mm
20mm	14mm
21mm	
22mm	
23mm	
24mm	
25mm	
27mm	
30mm	
32mm	

Flexible shaft

- ¼" Square Male & ¼" Square Female
- Length: 150mm
- CrV (Chrome Vanadium) steel
- Matt chrome Plated

Bit Sockets

- CrV (Chrome Vanadium) steel
- ¼" Drive
- Length: 38mm

Hex	Torx	Torx
H4	TX10	TX27
H5	TX15	TX30
H6	TX20	TX40
H8	TX25	

- ½" Drive
- Length: 56mm

Security Torx	Hex	Spline Bit
T40H	H6	M5
T45H	H7	M6
T50H	H8	M8
T55H	H10	M9
T60H	H12	M10
	H14	M12

Insert Bits:

- ¼" Hex
- S2 Tool steel
- Matt chrome Plated
- Length: 25mm

Hex	Security Torx	Slotted	Philips	Pozi
H2.5	T15H	SL3	2 x PH1	2 x PZ1
H3	T20H	SL4	2 x PH2	2 x PZ2
H4	T25H	SL5	2 x PH3	2 x PZ3
H5	T27H	SL6		
H6	T30H	SL7		
H8	T35H			
	T40H			
	T50H			

Drive Adapter: ¼" Hex M to ¼" SQ Drive M

Bit holder 65mm length x ¼" Hex Shank (M & F)

DRAWER 3



Combination Spanner:

- CrV (Chrome Vanadium) steel
 - Matt chrome Plated
 - Hardened and tempered
 - Drop forged
- Open ended and 12 point ring spanner

6mm	11mm	16mm
7mm	12mm	17mm
8mm	13mm	19mm
9mm	14mm	21mm
10mm	15mm	24mm

Hex Key Set:

- Ball Point
- CrV (Chrome Vanadium) steel, Matt chrome Plated
- Key Holder

1.5mm	3mm	6mm
2mm	4mm	8mm
2.5mm	5mm	10mm


Circlip Pliers:

- CrV (Chrome Vanadium) steel
- Rubber grip
- Spring loaded jaws
- Length: 178mm
- 1 x Internal & 1 x External

Security Torx Key Set:

- CrV (Chrome Vanadium) steel
- Security Torx

Security Torx		
T10H (Torx)	T20H (Torx)	T27H (Torx)
T15H (Torx)	T25H (Torx)	T30H (Torx)

**Machinist Hammer:**

- Bevelled square striking force
- Taper peen for splitting applications
- PP coated fibreglass handle, Length: 290mm
- Weight: 500g

Locking Plier:

- CrV (Chrome Vanadium) steel
- Curved Jaw Locking
- Length: 220mm
- Nickel plated body
- Release lever and adjusting screw

Pliers:

- CrV (Chrome Vanadium) steel
- Hardened edges
- Rubber grip

Long Nose, 160mm	Water Pump Box Joint, 250mm
Combination, 180mm	Side Cutter, 160mm

Adjustable Wrench

- CrV (Chrome Vanadium) steel
- Rubber Handle
- 8" (200mm)
- Thumb Adjustable Wheel
- 0-30mm Jaw width